





9565CV:
125MM (5") ANGLE GRINDER

- Slide switch with lock on function
- SJS system absorbs shock by accidental wheel lock & protects gears
- High Performance 1,400W* for heavy duty work
- Constant speed control, current limiter, soft start
- Mesh air exhaust with variable speed dial
- Constant speed control, current limiter, soft start
- Mesh air exhaust



Technical Data	
Input	1400 W
Max Capacity (Centre Wheel)	125 mm
Max Capacity (Diamond Wheel)	125 mm
Max Capacity (Abrasive Disc)	125 mm
Max Capacity (Wire Cup Brush)	90 mm
Weight	1.8 Kg
No Load Speed	2800-11000 RPM
Length	299 mm

SA7000C:
180MM (7") GRINDER/POLISHER

- Variable speed trigger and dial
- Ability to grind and polish
- Constant speed control, current limiter and soft start
- 1600W Motor with 0-4,000 RPM no load speed
- High heat-resistant motor for durability under heavy conditions
- Accepts diamond cup wheels and polishing pads with optional velcro backing pad.



Technical Data	
Input	1600 W
Max Capacity (Abrasive & Wood)	180 mm
Weight	3.2 Kg
No Load Speed	0-1,500/4,000rpm
Length	453 mm

HM1400:
30MM HEX SHANK ELECTRIC BREAKER

- On/off lever on side handle
- 20m/s² of vibration
- 1,240W* motor delivers powerful 29.5j of impact energy




Technical Data	
Input	1200 W
Impacts per Minute	1200 ipm
Joules	29.5 j
Weight	17 Kg
Noise	103 db
Length	613 mm
Vibration	20 m/s2



EK7651H:
75.6CC 4 STROKE POWER CUT 355MM (14")

- MM4 - No fuel and oil mixing required
- Easily changed - Inboard to outboard
- Outstanding engine power of 3.0kW
- Tool-less removal of the filter cover
- Spring anti-vibration system

Technical Data	
Cutting Depth	122 mm
Cutting Disc	355 mm
Engine Displacement	75.6 cc
Engine Oil Capacity	220 mL
Fuel Tank Capacity	1.1 L
Noise	92.7
Overall Length	780 mm
Power	3.0 kW
Weight	12.9 Kg



EK7301:
73CC 2 STROKE POWER CUT 355MM (14")

- 5 Stage air filter system
- Easily changed - Inboard to outboard
- Outstanding engine power of 4.2kW
- Optimum Vibration dampening
- Scavenging Losses Rejection

Technical Data	
Cutting Depth	122 mm
Cutting Disc	355 mm
Engine Displacement	73 cc
Fuel Tank Capacity	1.1 L
Max Spindle Speed	9000 RPM
Max Engine Output	4.2 kW
Weight	10.1 Kg



EK8100:
81CC 2 STROKE POWER CUT 405MM (16")

- 5 Stage air filter system
- Easily changed - Inboard to outboard
- Outstanding engine power of 4.5kW
- Optimum Vibration dampening
- Scavenging Losses Rejection

Technical Data	
Arbor Diameter	25.4 mm
Cutting Disc	405 mm
Cutting Speed	80 m/s
Displacement	81.0cc
Fuel Tank Capacity	1.1 L
Power	4.2 kW
Sound Pressure Level	100 dB
Weight	10.6 Kg



9" GRINDER AND PLUNGE SAW KIT WITH BACKPACK VACUUM

This kit is made up of several elements:

2x 5.0Ah Batteries (BL1850B), Dual Port Rapid Charger (DC18RD) & Carry Case + Diamond Blade (198440-5) + 18Vx2 Commercial Brushless Backpack Vacuum (DVC260ZX8)

DGA900PTX1 Grinder Kit

18V x 2 Brushless 230mm (9") Angle Grinder Kit

- Electronic brake, kickback detection, anti-restart and soft start
- Automatic Torque Drive increases torque to power through any cut
- Extreme performance with 5,700rpm no load speed
- XPT technology that protects against dust & moisture
- Anti vibration handle and rubber suppression joint reduce vibration

DVC260ZX8 Vacuum

- Brushless motor allows high suction power and efficiency
- Up to 60 minutes run time on high
- Powered by two 18V Li-ion batteries the motor receives more power and produces longer run times
- 2L dust capacity and HEPA filter
- Comfortable backpack harness with adjustable shoulder and waist straps to suit the size of the user for less fatigue after long continuous operation
- Telescopic Straight Pipe length is adjustable to suit the users height and is able to adjust from 500mm to 850mm

198440-5 Diamond Blade

- Superior Dust Extraction: Fully encased upper guard
- Max Depth of cut 60mm with new 230mm diamond blade
- Ability to cut 50mm close to a wall
- 4 wheel stability with metal base provides a smooth cut
- Adjustable depth stop for accurate depth of cut
- Lock in button for specific depth of cut up to 55mm
- Connects to normal 38mm hose or use Cuff 38 with 28mm hose
- Line of cut indicator can be adjusted to the width of the blade
- 2 Step easy access for blade change.



9" GRINDER AND PLUNGE SAW KIT WITH DUST EXTRACTION VACUUM

This kit is made up of several elements:

2x 5.0Ah Batteries (BL1850B), Dual Port Rapid Charger (DC18RD) & Carry Case + Diamond Blade (198440-5) + 18Vx2 Brushless Wet/Dry Dust Extraction Vacuum (DVC862L)

DGA900PTX1 9" Angle Grinder Kit

18V x 2 Brushless 230mm (9") Angle Grinder Kit

- Electronic brake, kickback detection, anti-restart and soft start
- Automatic Torque Drive increases torque to power through any cut
- Extreme performance with 5,700rpm no load speed
- XPT technology that protects against dust & moisture
- Anti vibration handle and rubber suppression joint reduce vibration

DVC862LZ Brushless Dust Extraction Vacuum

- Powered by two 18V LXT batteries
- Variable suction power control
- Up to 9.8kPa suction
- Variable suction power control by dial
- Approximately 30 - 65 minutes runtime

198440-5 Diamond Blade

- Superior Dust Extraction: Fully encased upper guard
- Max Depth of cut 60mm with new 230mm diamond blade
- Ability to cut 50mm close to a wall
- 4 wheel stability with metal base provides a smooth cut
- Adjustable depth stop for accurate depth of cut
- Lock in button for specific depth of cut up to 55mm
- Connects to normal 38mm hose or use Cuff 38 with 28mm hose
- Line of cut indicator can be adjusted to the width of the blade
- 2 Step easy access for blade change.

